ELSEVIER

Volume 48, Numbers 1–4, January 15, 1995

Journal of Materials Processing Technology

Contents

Preface vii

Organising Committee viii

International Advisory Committee viii

Keynote Papers

From metal cutting to metal forming modern side-shafts for passenger cars: manufacturing aspects 3
P. Amborn, H. Frielingsdorf, S.K. Ghosh, K. Greulich (Lohmar, Germany)

Modern side-shafts for passenger cars: manufacturing processes I 13
P. Amborn, H. Frielingsdorf, S.K. Ghosh, K. Greulich, (Lohmar, Germany)

1. Metal Forming/Bulk Forming

Increase in forming limit of sheet metals by removal of surface roughening with plastic strain (balanced biaxial stretching of aluminium sheets and foils) 27
K. Yamaguchi, N. Takakura, S. Imatani (Kyoto, Japan)

Influence of material properties on sheet metal formability limits 35
W.M. Sing, K.P. Rao (Kowloon, Hong Kong)

The development of a machine vision system for adaptive bending of sheet metals 43
S.K. Kwok, W.B. Lee (Hung Hom, Hong Kong)

The development of a computer software system for the prediction of formability parameters of sheet metals from X-ray diffraction data 51
M.J. Cai, W.B. Lee (Kowloon, Hong Kong)

Punchless punching of thin sheet metal by ultrahigh pressure gas for circular hole 59
M. Murata, Y Uede, H. Suzuki (Tokyo, Japan)

Square cup deep drawing of thick plate by multi-axial loading
Part 1. Finite element analysis 69
E. Sato (Tochigi, Japan), T. Shimizu, T. Sano (Tsukuba, Japan), S. Fuchizawa (Tochigi, Japan)

Square cup deep drawing of thick plate by multi-axial loading
Part 2. Experimental study 75
E. Sato (Tochigi, Japan), T. Shimizu, T. Sano (Tsukuba, Japan), S. Fuchizawa (Tochigi, Japan)

Modified-membrane finite-element simulation of square cup drawing processes considering influence of geometric parameters 81
S.S. Han, H. Huh (Taejon, South Korea)

Elsevier Science S.A.

A feature-based flat pattern development system for sheet metal parts 89
K.H. See Toh, H.T. Loh, A.Y.C. Nee, K.S. Lee (Singapore, Singapore)

A study of the adequate element stiffness scheme on cylindrical cup-drawing process 97
Y.H. Lu (I-Lan, Taiwan), Y.M. Huang (Taipei, Taiwan)

Straining behaviour in blanking process – fine blanking versus conventional blanking..... 105
T.C. Lee, L.C. Chan, B.J. Wu (Hong Kong, Hong Kong)

Effects of various working conditions on tube bulging by electromagnetic forming 113
H. Zhang, M. Murata, H. Suzuki (Tokyo, Japan)

Numerical simulation of deep-drawing process 123
X.W. Wang, X.H. Zhu (Shanghai, People's Republic of China)

Experimental investigation of the r and Δr value in A-K sheet subjected to two-stage straining..... 129
Liu Yazheng, Zhu Weichang (Beijing, People's Republic of China)

Rotary forming for the straightening of tubing..... 135
K. Kawai, M. Satake, Y. Inoue, H. Sugita (Yokohama, Japan)

Process sequence design of large axi-symmetric forging product of AISI4130 in nozzle type 143
E.-D. Chu (Incheon, South Korea), Y.-T. Im (Taejon, South Korea), N. Kim (Seoul, South Korea), J. Lee (Taejon, South Korea)

An elasto-plastic finite element analysis of sheet metal U-bending process 151
Y.-M. Huang, D.-K Leu (Taipei, Taiwan)

Bending mechanisms, experimental techniques and preliminary tests for the continuous four-roll plate bending process 159
M. Hua, K. Baines, I.M. Cole (Birmingham, UK)

Computer modelling of the effect of rolling schedule on the plastic anisotropy of cold-rolled aluminium sheets..... 173
W.B. Lee, S. To (Kowloon, Hong Kong)

New flow-stress equation of Ti–6Al–4V alloy..... 179
M. Yoshino, T. Shirakashi (Tokyo, Japan)

Development of fuzzy control algorithm for shape control in cold rolling..... 187
J.-Y. Jung, Y.-T. Im, L.-K. Hyung (Taejon, South Korea)

2. Cutting/Ultrasonics/ECM/EDM/Lasers

Unconventional machining of composite materials..... 199
W.S. Lau, T.M. Yue, T.C. Lee, W.B. Lee (Hung Hom, Hong Kong)

An application of a penalty method contact and friction algorithm to a three-dimensional tool surface expressed by a B-spline patch 207
T. Shimizu, T. Sano (Tsukuba, Japan)

Knowledge base for chip management system 215
X.D. Zhang, L.C. Lee, K.H.W. Seah (Singapore, Singapore)

A free-abrasive machining approach to dressing of resin-bonded CBN grinding wheels..... 223
X. Li (Singapore, Singapore)

A system for monitoring cutting tool spontaneous failure based on stress estimation 231
J.M. Zhou, M. Andersson, J.E. Ståhl (Lund, Sweden)

Machining of ring shaped work pieces 239
M.F. Walter, J.E. Ståhl (Lund, Sweden)

Adaptive pattern recognition of drilling chatter 247
Y.S. Tarng, T.C. Li (Taipei, Taiwan)

Preliminary study of ultrasonic drilling of fiber-reinforced plastics 255
H. Hocheng, C.C. Hsu (Hsinchu, Taiwan)

A study of creep-feed grinding of metallic and ceramic materials 267
L.C. Zhang (Sydney, NSW, Australia), T. Suto, H. Noguchi, T. Waida (Tsukuba, Japan)

The effect of restricted contact length on tool performance 275
M.I. Sadik, B. Lindström (Stockholm, Sweden)

The detection and compensation of tool wear in process 283
Dou Shouszhi, Du Yanting, Shi Weixiang (Xi'an, People's Republic of China)

Machinability of cast and powder-formed aluminum alloys reinforced with SiC particles 291
N.P. Hung, F.Y.C. Boey, K.A. Khor, C.A. Oh, H.F. Lee (Singapore, Singapore)

Effects of flushing on electron-discharge machined surfaces 299
Y.S. Wong, L.C. Lima, L.C. Lee (Singapore, Singapore)

Plastic strain measurement in polypropylene using laser speckle technique 307
C.J. Tay, C.M. Yap, H.M. Shang, T.E. Tay (Singapore, Singapore)

3. Composites/Powders/Polymers/Resins

Processing of thermoplastic composites from powder/sheath-fibre bundles 317
L. Ye (Sydney, NSW, Australia), K. Friedrich (Kaiserslautern, Germany)

The effect of fabrication techniques on the properties of Al–SiC composites. 325
C.P. Ling, M.B. Bush (Nedlands, WA, Australia), D.S. Perera (Menai, NSW, Australia)

Manufacturing of the traction drive with the glass fiber epoxy composite material 333
Dong Hyun Kim (Incheon, South Korea), Kwang Seop Jeong, Dai Gil Lee (Taejon, South Korea), Se Hoon Oh (Seoul, South Korea)

Experimental investigation of the static torque transmission capabilities of the adhesively bonded single lap joints 341
Jin Kyung Choi, Dai Gil Lee (Taejon, South Korea)

The effects of processing parameters on mechanical properties of SiC_w/2124Al composites 349
S.H. Hong, K.H. Chung (Taejon, South Korea)

Optimal parameters for curing graphite/epoxy composite laminates 357
T.Y. Kam, F.M. Lai, H.F. Sher (Hsin Chu, Taiwan)

Effects of coupling agent on the physical properties of wood–polymer composites 365
S.B. Elvy, G.R. Dennis, L.-T. Ng (Kingswood, NSW, Australia)

Casting and HIPping of Al-based metal matrix composites (MMCs) 373
Q.F. Li, N.L. Loh, N.P. Hung (Singapore, Singapore)

Utilization of textile waste cuttings as building material. 379
F.F. Aspiras, J.R.I. Manalo (Manila, Philippines)

Recycling automotive related wastes in concrete 385
G.J. Xu, D.F. Watt, P.P. Hudec (Windsor, Ont., Canada), K.A. MacDonald (Windsor, Ont., and Ottawa, Ont., Canada), D.O. Northwood (Windsor, Ont. Canada)

Analysis of dynamic deformation mechanisms in powder metals 391
T. Sano (Tsukuba, Japan), K. Kato, H. Takeishi (Chiba, Japan)

Influence of HIP parameters on mechanical properties of AA8090 399
K. Hanada (Tokyo, Japan), M.J. Tan (Singapore, Singapore), Y. Murakoshi (Tsukuba, Japan), H. Negishi (Tokyo, Japan), T. Sano (Tsukuba, Japan)

Dynamic compaction of Al–Li alloy composites using preform 407
Y. Murakoshi, T. Sano (Tsukuba, Japan), F.Y.C. Boey, K.A. Khor (Singapore, Singapore)

Plasma spraying of titanium aluminide coatings: process parameters and microstructure 413
K.A. Khor (Singapore, Singapore), Y. Murakoshi, M. Takahashi, T. Sano (Tsukuba, Japan)

Computational simulation of powder movement during uni-axial die compaction of metal powders 421
I.C. Krezalek (Rockhampton, Qld., Australia), K. Sivakumar (Singapore, Singapore)

Thermal spraying of hydroxyapatite (HA) coatings: effects of powder feedstock 429
P. Cheang, K.A. Khor (Singapore, Singapore)

Micromechanics analysis of crazing phenomenon in polymers 437
Z.M. Xiao, M.K. Lim, K.M. Liew (Singapore, Singapore)

Radiation curing of poly-methyl-methacrylate using a variable power microwave source 445
L.H.L. Chia, J. Jacob, F.Y.C. Boey (Singapore, Singapore)

A study of dual directional flow-formed polypropylene pipes 451
K.S. Lee, M.O. Lai, C.M. Chen (Singapore, Singapore)

4. Thermomechanical/Surfaces/Lubricants

Metallurgical processing of $Nd_2Fe_{14}B$ type permanent magnetic alloys 461
X.J. Zhang, X.J. Yin (Singapore, Singapore), P.J. McGuiness, I.R. Harris (Birmingham, UK)

Improvement of the structure properties for special steel wire by cold-rolling technique 469
Zhu Weichang, Liu Yazheng (Beijing, People's Republic of China)

Thermo-mechanical processing and microstructure of microalloyed steel bar and wire rod products 475
L.L. Teoh (Singapore, Singapore)

Structure and properties of rapidly solidified Mg-based Mg–Pr alloys 483
Y. Li, H.Y. Liu (Singapore, Singapore)

New amorphous alloys with high strength and good bend ductility in the Mg–Ni–Nd system 489
Y. Li, S.C. Ng, C.K. Ong (Singapore, Singapore), H. Jones (Sheffield, UK)

The effect of applying coolant on tool wear in metal machining 495
K.H.W. Seah, X. Li, K.S. Lee (Singapore, Singapore)

Tribology in materials processing 503
A.W. Batchelor (Singapore, Singapore), G.W. Stachowiak (Nedlands, WA, USA)

Characterization of silicon carbide coatings grown on graphite by chemical vapor deposition 517
D. Zhu, P. Hing (Singapore, Singapore), P. Brown, Y. Sahai (Columbus, OH, USA)

Fluidized bed coating of copper cylinders 525
K.C. Leong, G.Q. Lu (Singapore, Singapore)

Fatigue properties of cold worked holes 533
M.O. Lai, Y.H. Siew (Singapore, Singapore)

Preparation of Al–Li/SiC_p composite powder by a plasma spray atomisation (PSA) technique 541
K.A. Khor, Z.H. Yuan, F.Y.C. Boey (Singapore, Singapore), Y. Murakoshi, T. Sano (Tsukuba, Japan)

5. CAD/FEM/Modelling

The computer system for forecasting of the residual life of the pressure loaded power installation elements 551
L.A. Dobrzański, J. Dobrzański, J. Madejski, J. Zacłona (Gliwice, Poland)

Computer aided process planning (CAPP) for electric discharge machining (EDM) 561
V.K. Jain (Kanpur, India), J.L. Batra (Lucknow, India), A.K. Garg (Jalgaon, India)

Finite element simulation of solidification with momentum, heat and species transport 571
Y. Chen (Columbus, OH, USA), Y.-T. Im (Taejon, South Korea), J. Lee (Columbus, OH, USA)

The effect of residual stresses and weld geometry on the improvement of fatigue life 581
N.T. Ninh, M.A. Wahab (Adelaide, SA, Australia)

Elastic-plastic modelling of the residual stress caused by welding 589
L.J. Yang, Z.M. Xiao (Singapore, Singapore)

Gold jewellery casting: technology design and defects elimination 603
X.J. Zhang, K.K. Tong, R. Chan, M. Tan (Singapore, Singapore)

6. Process/Techniques

Melt flow rate and die swell ratio of blended polypropylene used in the fibre industry 613
A.C.-Y Wong (Hong Kong, Hong Kong), H.H.A. Lo (Tai Po, Hong Kong)

Microwave applications in materials joining 619
E. Siores (Brisbane, Qld., Australia), D. Do Rego (Wollongong, NSW, Australia)

Effects of selected processing and equipment variables on the output rate of blended polyethylene films 627
A.C.-Y. Wong (Hong Kong, Hong Kong)

High precision distortion control and quality improvement in the fabrication of large size quenched and tempered low alloy steel shells 633
S. Vasudevan, S. Arunagiri, A.R. Subramanian, T. Gurunathan (Tiruchirappalli, India)

Manufacturing of the composite screw rotors by resin transfer molding 641
Young Goo Kim, Dai Gil Lee (Taejon, South Korea), Park Kyoun Oh (Seoul, South Korea)

A study on the epoxy resin concrete for the ultra-precision machine tool bed. . . . 649
Hyun Surk Kim, Kyu Yeol Park, Dai Gil Lee (Taejon, South Korea)

Numerical investigation of the influence of air gaps upon the solidification in a rotary caster 657
A.G. Gerber, A.C.M. Sousa (Fredericton, NB, Canada)

Processing of light metals for enhanced performance 667
F.H. Froes (Farnborough, UK), C.M. Ward-Close (Moscow, ID, USA)

Effect of vapour blasting on fatigue life of an age-hardened aluminium alloy 675
L.C. Lim, L.K. Seng, S.C. Lim (Singapore, Singapore)

Fabrication of Ni_3Al intermetallic compound using mechanical alloying technique 683
L. Lü, M.O. Lai, S. Zhang (Singapore, Singapore)

7. Further Papers

A new technique for reducing the residual stress induced by welding in type 304 stainless steel 693
Y.C. Lin (Changhua, Taiwan), C.P. Chou (Hsinchu, Taiwan)

A software on sheet metal forming processes (a) with the aid of flexible tools, (b) using hydraulic pressure 699
S. Thiruvarudchelvan (Singapore, Singapore)

A study of the flow properties of glass fibre reinforced PBT in extrusion. 707
J.Z. Liang (Guangzhou, People's Republic of China), C.Y. Tang, W.B. Lee (Hong Kong, Hong Kong)

Approximation of exponential curves for CNC machining of toolholders used in ultrasonic machining 713
Y.S. Wong, W.K.H. Seah, H.T. Loh, C.S. Teng, L.C. Lee (Singapore, Singapore)

Design of meso-structures in materials processing. 721
W.B. Lee (Hung Hom, Hong Kong)

Effects of chemical composition and processing conditions on the structure and properties of high-speed steels. 727
L.A. Dobrzański (Gliwice, Poland)

Gouge detection and tool position modification for five-axis NC machining of sculptured surfaces 739
F. Li, X.C. Wang (Xi'an, People's Republic of China), S.K. Ghosh (Lohmar, Germany), D.Z. Kong, T.Q. Lai, X.T. Wu (Xi'an, People's Republic of China)

Heat treatments in aluminium–lithium composites extrusion 747
M.J. Tan, L.H. Koh, K.A. Khor (Singapore, Singapore), Y. Murakoshi, T. Sano (Tsukuba, Japan)

Mineral polymer tooling system for making prototype fibre reinforced composite parts 757
S. Faignet, P. Bauweraerts, J. Wastiels, X. Wu (Brussels, Belgium)

Monitoring of metal powder–binder mixing process by eddy-current sensor. 765
S. Miyazawa, Y. Usui, H. Yoshida, Y. Murakoshi (Tsukuba, Japan)

Plastic flow in rotary ultrasonic machining of ceramics 771
Z.J. Pei, P.M. Ferreira (Urbana, IL, USA), M. Haselkorn (Mossville, IL, USA)

Preparation of Ti(C,N)–WC–TaC solid solution by mechanical alloying technique 779
S. Zhang, K.A. Khor, L. Lü (Singapore, Singapore)

Static pressure distribution in a powder–binder 2-phase medium 785
H. Yoshida, S. Miyazawa (Tsukuba, Japan)

Storage of thermal energy for effective use of waste heat from industries 793
J. Yagi, T. Akiyama (Sendai, Japan)

Temperature profile on a continuous moving surface subjected to a constant heat rate in a horizontal channel 805
K.C. Toh, W.K. Chan, S.L. Hoe (Singapore, Singapore)

Tool-path generation for machining sculptured surface 811
F. Li, X.C. Wang (Xi'an, People's Republic of China), S.K. Ghosh (Lohmar, Germany), D.Z. Kong, T.Q. Lai, X.T. Wu (Xi'an, People's Republic of China)

Modeling the consolidation behavior of an alpha-two titanium aluminide powder 817
S. Shamasundar, R.E. Dutton, S.L. Semiatin (Dayton, OH, USA)

Fine plasma cutting of advanced aerospace materials 825
A.P. Hoult, I.R. Pashby, K. Chan (Coventry, UK)

Author Index of Volume 48 833

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.